



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/086,096	02/27/2002	Vishal Anand	US 028017	2846

7590

02/17/2005

Corporate Patent Counsel
U.S. Philips Corporation
580 White Plains Road
Tarrytown, NY 10591

EXAMINER

PARK, ILWOO

ART UNIT

PAPER NUMBER

2182

DATE MAILED: 02/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED

MAR 01 2005

Technology Center 2100

Office Action Summary

Application No.

10/086,096

Applicant(s)

ANAND ET AL

Examiner

Ilwoo Park

Art Unit

2182

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 June 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/16/2004 has been entered.
2. Claims 1, 9, and 12 are amended. Holden was cited in the last office action. The following rejections now apply. Claims 1-15 are presented for examination.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Holden, US patent No. 5,583,861.

As to claim 1, Holden teaches a multiple-input queuing system comprising:
a buffer [col. 6, lines 18-21] that includes a plurality of memory-elements,
an allocator that is configured to, at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocate [col. 6, lines 1-3; col. 7, lines 21-24] any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8, line 9; col. 8, lines 61-67] of the plurality of

Art Unit: 2182

memory-elements for storing a data-item from a select input-stream of a plurality of input-streams, and

a mapper that is configured to: receive [col. 6, lines 63-65] a request for an output corresponding to the select input-stream, determine [col. 6, lines 57-67] an address associated with the memory-element, based on the request for the select input-stream, and provide the data-item from the memory-element as the output, based on the address associated with the memory-element.

3. As to claim 2, Holden teaches a first switch [input crosspoint 110 in fig. 5], operably coupled to the allocator, that is configured to route the data-item from the select input-stream to the memory-element.

4. As to claim 3, Holden teaches a second switch [output crosspoint 120 in fig. 5], operably coupled to the mapper, that is configured to route the data-item from the memory-element to the output.

5. As to claim 4, Holden teaches the allocator is further configured to allocate the memory-element based on a request from the select input-stream for an allocation [col. 2, lines 45-50].

6. As to claim 5, Holden teaches the allocator is further configured to: receive allocation requests from other input-streams of the plurality of input-streams, determine a relative priority of the allocation requests from the other input-streams and the request from the select input-stream, and identify the select input-stream, based on the relative priority [col. 2, lines 28-32].

7. As to claim 6, Holden teaches the allocator is further configured to: receive allocation requests from other input-streams of the plurality of input-streams, and

Art Unit: 2182

allocate other memory-elements of the plurality of memory-elements for storing other data-items from the other input-streams [col. 14, lines 33-45].

8. As to claim 7, Holden teaches the allocator is configured to allocate the other memory-elements contemporaneously with allocating the memory-element for storing the data-item from the select input-stream [col. 14, lines 33-45].

9. As to claim 8, Holden teaches the mapper that is further configured to: receive requests for outputs corresponding to the other input-streams, determine addresses associated with the other memory-elements, based on the request for the other input-streams, and provide the other data-items from the other memory-element as outputs from the multiple-input queuing system, based on the addresses associated with the other memory-element [col. 6, lines 57-67].

10. As to claim 9, Holden teaches a buffer system that is configured to receive data from a plurality of input-streams, the buffer system comprising:

a plurality of memory-elements [col. 6, lines 18-21],

a plurality of input-multiplexers [col. 6, lines 21-25], each input-multiplexer being coupled to a memory-element of the plurality of memory-elements, and

an allocator [col. 6, lines 1-3], operably coupled to the plurality of memory-elements, that is configured to couple one or more input-streams of the plurality of input-streams to corresponding one or more memory-elements, via allocation commands to the plurality of input-multiplexers [col. 6, lines 25-28], wherein the allocator, at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocates [col. 6, lines 1-3; col. 7, lines 21-24] any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8 line 9;

Art Unit: 2182

col. 8, lines 61-67] of the plurality of memory-elements for storing a data-item from a select input-stream of the plurality of input-streams.

11. As to claim 10, Holden teaches a mapper, operably coupled to the allocator, that includes:

a memory [col. 6, lines 42-46] that is configured to store information corresponding to the allocation commands, and

a multiplexer [fig. 6], operably coupled to the memory, that is configured to access the information corresponding to the allocation commands, and to thereby provide an identification of the one or more memory-elements corresponding to a select input-stream of the plurality of input-streams, and

an output-multiplexer [output crosspoint 120 in fig. 5], operably coupled to the plurality of memory-elements and to the mapper, that is configured to couple a select memory-element of the plurality of memory-elements to an output of the buffer system, based on the identification of the one or more memory-elements corresponding to the select input-stream.

12. As to claim 11, Holden teaches the memory of the mapper includes a plurality of queues, each queue of the plurality of queues corresponding to each input-stream of the plurality of input-streams [col. 6, lines 42-46].

13. As to claim 12, Holden teaches a method of buffering data-items from a plurality of input-streams, including:

receiving [col. 2, lines 45-50] an input-notification from one or more input-streams of the plurality of input-streams,

Art Unit: 2182

at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocating [col. 6, lines 1-3; col. 7, lines 21-24] as a select memory-element any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8, line 9; col. 8, lines 61-67] memory-element of a plurality of memory-elements to a select input-stream of the one or more input-streams, storing [col. 6, lines 18-21] a received data-item from the select input-stream to the select memory-element,

storing [col. 6, lines 57-67] an identification of the select memory-element corresponding to the select input-stream,

receiving [col. 6, lines 33-40] an unload request that identifies the select input-stream, and

providing [col. 14, lines 46-50] the received data-item from the select memory-element, based on an identification of the select memory-element corresponding to the select input-stream.

14. As to claim 13, Holden teaches allocating a plurality of select memory-elements of the plurality of memory-elements to a plurality of select input-streams of the one or more input-streams, storing a received data-item from each of the plurality of select input-streams to a corresponding each of the plurality of select memory-elements, and storing an identification of each of the plurality of select memory-elements corresponding to each of the plurality of select input-streams [col. 14, lines 30-55].

15. As to claim 14, Holden teaches storing the identification of the select memory-element includes placing the identification in a first-in-first-out queue that is associated with the select input-stream, and providing the received data-item includes removing the

identification from the first-in-first-out queue that is associated with the select input-stream [col. 6, lines 42-67].

16. As to claim 15, Holden teaches each memory-element of the plurality of memory-elements is dynamically classifiable as currently-used and currently-unused; allocating the select memory-element includes: identifying one of the plurality of memory-elements that is classified as currently-unused as the select memory-element, and classifying the select memory-element as currently-used; and providing the received data-item includes classifying the select memory-element as currently-unused [col. 6, lines 42-67].

Response to Arguments

17. Applicant's arguments filed 6/16/2004 have been fully considered but they are not persuasive. Applicant argues that a) the link list RAM of Holden determines in advance what memory element a data-item from a particular stream will be stored; thus, using any currently-unused memory element, as in the present invention, would wreak havoc on the system of Holden.


For the point a), Holden teaches the link list RAM does not determine in advance what memory element a data-item from a particular stream will be stored using a memory element for storing a data-item of a select input-stream; rather, the link list RAM is used for priority and destination of the cell that has been stored in cell memory [col. 7, lines 24-32] and used for providing an input buffer pointer specifying where the input cell is not being stored but currently stored [col. 6, lines 65-67], further, Holden teaches [col. 5, lines 58-63], using any currently-unused memory element wouldn't wreak havoc on the system of Holden.

Conclusion

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ilwoo Park whose telephone number is (703) 308-7811. The examiner can normally be reached on Monday through Friday from 9:00 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A Gaffin can be reached on (703) 308-3301. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Hand-delivered responses should be brought to US Patent and Trademark Office, 2011 South Clark Place, Customer Window, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202.

**ILWOO PARK
PRIMARY EXAMINER**



Ilwoo Park
Primary Examiner
August 2, 2004

Notice of References Cited

Application/Control No.

10/086,096

Applicant(s)/Patent Under
Reexamination
ANAND ET AL

Examiner

Ilwoo Park

Art Unit

2182

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-5,583,861	12-1996	Holden, Brian D.	370/395.42
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(e).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/086,096	02/27/2002	Visbal Anand	US 028017	2846

7590

08/06/2004

Corporate Patent Counsel
U.S. Philips Corporation
580 White Plains Road
Tarrytown, NY 10591

EXAMINER

PARK, ILWOO

ART UNIT

PAPER NUMBER

2182

DATE MAILED: 08/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED

AUG 12 2004

Technology Center 2100

Office Action Summary

Application No.

10/086,096

Applicant(s)

ANAND ET AL

Examiner

Ilwoo Park

Art Unit

2182

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 June 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/16/2004 has been entered.
2. Claims 1, 9, and 12 are amended. Holden was cited in the last office action. The following rejections now apply. Claims 1-15 are presented for examination.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Holden, US patent No. 5,583,861.

As to claim 1, Holden teaches a multiple-input queuing system comprising:
a buffer [col. 6, lines 18-21] that includes a plurality of memory-elements,
an allocator that is configured to, at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocate [col. 6, lines 1-3; col. 7, lines 21-24] any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8, line 9; col. 8, lines 61-67] of the plurality of

Art Unit: 2182

memory-elements for storing a data-item from a select input-stream of a plurality of input-streams, and

a mapper that is configured to: receive [col. 6, lines 63-65] a request for an output corresponding to the select input-stream, determine [col. 6, lines 57-67] an address associated with the memory-element, based on the request for the select input-stream, and provide the data-item from the memory-element as the output, based on the address associated with the memory-element.

3. As to claim 2, Holden teaches a first switch [input crosspoint 110 in fig. 5], operably coupled to the allocator, that is configured to route the data-item from the select input-stream to the memory-element.

4. As to claim 3, Holden teaches a second switch [output crosspoint 120 in fig. 5], operably coupled to the mapper, that is configured to route the data-item from the memory-element to the output.

5. As to claim 4, Holden teaches the allocator is further configured to allocate the memory-element based on a request from the select input-stream for an allocation [col. 2, lines 45-50].

6. As to claim 5, Holden teaches the allocator is further configured to: receive allocation requests from other input-streams of the plurality of input-streams, determine a relative priority of the allocation requests from the other input-streams and the request from the select input-stream, and identify the select input-stream, based on the relative priority [col. 2, lines 28-32].

7. As to claim 6, Holden teaches the allocator is further configured to: receive allocation requests from other input-streams of the plurality of input-streams, and

Art Unit: 2182

allocate other memory-elements of the plurality of memory-elements for storing other data-items from the other input-streams [col. 14, lines 33-45].

8. As to claim 7, Holden teaches the allocator is configured to allocate the other memory-elements contemporaneously with allocating the memory-element for storing the data-item from the select input-stream [col. 14, lines 33-45].

9. As to claim 8, Holden teaches the mapper that is further configured to: receive requests for outputs corresponding to the other input-streams, determine addresses associated with the other memory-elements, based on the request for the other input-streams, and provide the other data-items from the other memory-element as outputs from the multiple-input queuing system, based on the addresses associated with the other memory-element [col. 6, lines 57-67].

10. As to claim 9, Holden teaches a buffer system that is configured to receive data from a plurality of input-streams, the buffer system comprising:

a plurality of memory-elements [col. 6, lines 18-21],

a plurality of input-multiplexers [col. 6, lines 21-25], each input-multiplexer being coupled to a memory-element of the plurality of memory-elements, and

an allocator [col. 6, lines 1-3], operably coupled to the plurality of memory-elements, that is configured to couple one or more input-streams of the plurality of input-streams to corresponding one or more memory-elements, via allocation commands to the plurality of input-multiplexers [col. 6, lines 25-28], wherein the allocator, at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocates [col. 6, lines 1-3; col. 7, lines 21-24] any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8 line 9;

Art Unit: 2182

col. 8, lines 61-67] of the plurality of memory-elements for storing a data-item from a select input-stream of the plurality of input-streams.

11. As to claim 10, Holden teaches a mapper, operably coupled to the allocator, that includes:

a memory [col. 6, lines 42-46] that is configured to store information corresponding to the allocation commands, and

a multiplexer [fig. 6], operably coupled to the memory, that is configured to access the information corresponding to the allocation commands, and to thereby provide an identification of the one or more memory-elements corresponding to a select input-stream of the plurality of input-streams, and

an output-multiplexer [output crosspoint 120 in fig. 5], operably coupled to the plurality of memory-elements and to the mapper, that is configured to couple a select memory-element of the plurality of memory-elements to an output of the buffer system, based on the identification of the one or more memory-elements corresponding to the select input-stream.

12. As to claim 11, Holden teaches the memory of the mapper includes a plurality of queues, each queue of the plurality of queues corresponding to each input-stream of the plurality of input-streams [col. 6, lines 42-46].

13. As to claim 12, Holden teaches a method of buffering data-items from a plurality of input-streams, including:

receiving [col. 2, lines 45-50] an input-notification from one or more input-streams of the plurality of input-streams,

Art Unit: 2182

at a time [col. 7, lines 21-24] at which a data-item from a select input-stream of a plurality of input-streams to be stored, allocating [col. 6, lines 1-3; col. 7, lines 21-24] as a select memory-element any currently-unused memory-element [empty or available cell memories: col. 7, line 61-col. 8, line 9; col. 8, lines 61-67] memory-element of a plurality of memory-elements to a select input-stream of the one or more input-streams,

storing [col. 6, lines 18-21] a received data-item from the select input-stream to the select memory-element,

storing [col. 6, lines 57-67] an identification of the select memory-element corresponding to the select input-stream,

receiving [col. 6, lines 33-40] an unload request that identifies the select input-stream, and

providing [col. 14, lines 46-50] the received data-item from the select memory-element, based on an identification of the select memory-element corresponding to the select input-stream.

14. As to claim 13, Holden teaches allocating a plurality of select memory-elements of the plurality of memory-elements to a plurality of select input-streams of the one or more input-streams, storing a received data-item from each of the plurality of select input-streams to a corresponding each of the plurality of select memory-elements, and storing an identification of each of the plurality of select memory-elements

corresponding to each of the plurality of select input-streams [col. 14, lines 30-55].

15. As to claim 14, Holden teaches storing the identification of the select memory-element includes placing the identification in a first-in-first-out queue that is associated with the select input-stream, and providing the received data-item includes removing the

Art Unit: 2182

identification from the first-in-first-out queue that is associated with the select input-stream [col. 6, lines 42-67].

16. As to claim 15, Holden teaches each memory-element of the plurality of memory-elements is dynamically classifiable as currently-used and currently-unused; allocating the select memory-element includes: identifying one of the plurality of memory-elements that is classified as currently-unused as the select memory-element, and classifying the select memory-element as currently-used; and providing the received data-item includes classifying the select memory-element as currently-unused [col. 6, lines 42-67].

Response to Arguments

17. Applicant's arguments filed 6/16/2004 have been fully considered but they are not persuasive. Applicant argues that a) the link list RAM of Holden determines in advance what memory element a data-item from a particular stream will be stored; thus, using any currently-unused memory element, as in the present invention, would wreak havoc on the system of Holden.


For the point a), Holden teaches the link list RAM does not determine in advance what memory element a data-item from a particular stream will be stored using a memory element for storing a data-item of a select input-stream; rather, the link list RAM is used for priority and destination of the cell that has been stored in cell memory [col. 7, lines 24-32] and used for providing an input buffer pointer specifying where the input cell is not being stored but currently stored [col. 6, lines 65-67], further, Holden teaches [col. 5, lines 58-63], using any currently-unused memory element wouldn't wreak havoc on the system of Holden.

Conclusion

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ilwoo Park whose telephone number is (703) 308-7811. The examiner can normally be reached on Monday through Friday from 9:00 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A Gaffin can be reached on (703) 308-3301. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Hand-delivered responses should be brought to US Patent and Trademark Office, 2011 South Clark Place, Customer Window, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202.

**ILWOO PARK
PRIMARY EXAMINER**



Ilwoo Park
Primary Examiner
August 2, 2004

Notice of References Cited

Application/Control No.

10/086,096

Applicant(s)/Patent Under
Reexamination
ANAND ET AL

Examiner

Ilwoo Park

Art Unit

2182

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-5,583,861	12-1996	Holden, Brian D.	370/395.42
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

TC2100

PK2


Organization

Bldg./Room

U. S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231
IF UNDELIVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER



RECEIVED

MAR 01 2005

Technology Center 2100



UNITED STATES POSTAGE
U.S. OFFICIAL MAIL
PRINTED IN THE U.S.
02 1A
0004204034
FEB 17 2005
MAILED FROM ZIP CODE 22314
\$01.29